Universitat de Lleida

Document downloaded from:

<http://hdl.handle.net/10459.1/71099>

The final publication is available at:

<https://doi.org/10.1016/j.scitotenv.2015.08.115>

Copyright

cc-by-nc-nd, (c) Elsevier, 2015

Està subjecte a una llicència de

[Reconeixement-NoComercial-SenseObraDerivada 3.0 de Creative Commons](https://creativecommons.org/licenses/by-nc-nd/3.0/)

Silver nanoparticles coated with natural polysaccharides as models to study AgNP aggregation kinetics using UV-Visible spectrophotometry upon discharge in complex environments

Pablo Lodeiro^{a,b*}, Eric P. Achterberg^{a,b}, Joaquín Pampín^b, Alice Affatati^b and Mohammed S. El-Shahawi^c

^aOcean and Earth Science, University of Southampton, National Oceanography Centre, European Way, SO14 3ZH Southampton, UK

^bGEOMAR, Helmholtz Centre for Ocean Research, 24148 Kiel, Germany

^cDepartment of Chemistry, Faculty of Science, King Abdulaziz University, P. O. Box 80203, Jeddah 21589, Kingdom of Saudi Arabia

*Corresponding author: E-mail (plodeiro@geomar.de); Tel.: 0049 (0) 431 600 1296

Abstract

This study provides quantitative information on the aggregation and dissolution behaviour of silver nanoparticles (AgNPs) upon discharge in fresh and sea waters, represented here as NaCl solutions of increasing ionic strength (up to 1M) and natural fjord waters. Natural polysaccharides, sodium alginate (ALG) and gum arabic (GA), were used as coatings to stabilize the AgNPs and the compounds acted as models to study AgNP aggregation kinetics. The DLVO theory was used to quantitatively describe the interactions between the AgNPs. The stability of AgNPs was established using UV-Visible spectrophotometry, including unique information collected during the first seconds of the aggregation process. Alginate coating resulted in a moderate stabilization of AgNPs in terms of critical coagulation concentration (~82 mM NaCl) and a low dissolution of <10% total Ag in NaCl solutions up to 1M. Gum arabic coated AgNPs were more strongly stabilized, with ~7-30% size increase up to 77 mM NaCl, but only when the silver ion content initially present in solution was low (<10% total Ag). The ALG and GA coated AgNPs showed a strongly enhanced stability in natural fjord waters (ca. 5 h required to reduce the area of the surface plasmon resonance band (SPRB) by two fold) compared with NaCl at an equivalent ionic strength (1-2 min period for a two fold SPRB reduction). This is ascribed to a stabilising effect from dissolved organic matter present in natural fjord waters. Interestingly, for AgNP-GA solutions with 40% of total silver present as unreacted silver ions in the NP stock solution, fast aggregation kinetics were observed in NaCl solutions (SPRB area was reduced by ca. 50% within 40-150 min), with even more rapid removal in fjord waters, attributed to the high amount of silver-chloride charged species, that interact with the NP coating and/or organic matter and reduce the NPs stabilization.

Keywords: silver nanoparticles, aggregation, oxidation, alginate, gum arabic, fjord waters

1. Introduction

Silver nanoparticles (AgNPs) are among the most widely used NPs in consumer products, mainly because of their broad biocide activity (Chernousova & Epple, 2013; Rizzello & Pompa, 2014). Therefore, AgNPs are commonly found in medical products, textiles, deodorants, gels, cosmetics, water and air filters and household appliances (including refrigerators and washing machines) (Benn & Westerhoff, 2008; Blaser et al., 2008; Kim et al., 2007)

The increasing production of manufactured goods containing AgNPs is potentially leading to increased emissions to the environment, with possible detrimental effects on humans and ecosystems (Fabrega et al., 2011; Lapresta-Fernandez et al., 2012).

Whilst there are many uncertainties regarding emissions of AgNPs into the environment, and resulting concentrations in various compartments, there is little known about the environmental transformations (aggregation, sedimentation, oxidation, interaction with organic matter and pollutants, etc.) that determine the behaviour and fate of AgNPs upon discharge into natural waters. Factors that may control the stability and mobility of AgNPs in receiving waters include pH, ionic strength, and organic matter content, in addition to specific properties of the AgNPs, including diameter, charge, shape, concentration and coating (Auffan et al., 2010; Gondikas et al., 2012; Levard et al., 2012; Thio et al., 2011).

Once discharged into natural waters, AgNPs with weakly attached engineered or environmentally acquired coatings (not chemically bound) are often unstable and tend to aggregate. In case the coatings provide protection against dissolution, aggregation

1 and subsequent sedimentation, then the AgNPs remain stay in solution for longer
2 periods of time. Different capping agents (e.g. polymers and surfactants) are used to
3 provide the NPs with required stabilities (Levard et al., 2012; Sharma et al., 2014).
4 These compounds are added during the NP synthesis and form a coated layer on the
5 NP surface that prevents auto-aggregation through electrostatic repulsion, steric
6 repulsion or both (electro-steric stabilization). Electrostatic repulsion provides kinetic
7 stability while steric stabilization is usually more effective in preventing aggregation
8 when the coating is firmly attached to the NP surface and resists degradation
9 (Baalousha et al., 2014).

10 In this study, two different polyelectrolytes were used, sodium alginate (ALG) and
11 gum arabic (GA), to stabilize the AgNPs via electro-steric and steric phenomena,
12 respectively. Alginates form an important component of cell walls of brown seaweed,
13 contributing about 20–40% of the total dry weight (Percival & McDowell, 1967), and
14 therefore this polyelectrolyte is readily found in marine waters with seaweeds. Alginic
15 acid is a linear polymer of 1,4-linked h-D-mannuronic and α -L-guluronic acids, with
16 pK values of 3.38 and 3.65, respectively (Haug, 1961; Rey-Castro et al., 2004). The
17 literature regarding the manufacture and behaviour of AgNPs coated with alginate is
18 scarce, and only one report on the synthesis of calcium-alginate-stabilized Ag and Au
19 NPs is available (Sandip et al., 2010). There are also a few reports on the effects of
20 alginate present in solution on the behaviour of NPs (Abe et al., 2011; Chappell et al.,
21 2011; Gallego-Urrea et al., 2014). Even if alginate is not actually used as a coating in
22 commercial NPs, its steric/electrostatic behaviour will act as a model for this process
23 and its presence in the environment will potentially generate interactions with NP
24 surfaces, so we considered it important to study its effects on AgNPs behaviour. To
25 our knowledge, this is the first study to investigate the mechanisms of aggregation of

1 ALG-coated AgNPs in NaCl solutions of increasing ionic strength and a natural
2 marine water. Experiments were conducted using the ionic strength range of seawater,
3 with chloride forming the key reactive anion with respect to silver in our experimental
4 solutions, as is the case in natural seawater, and resulting in the formation of a range
5 of silver chloride species (Barriada et al., 2007). We also studied the aggregation
6 behaviour of AgNPs coated with GA, a high molecular weight polysaccharide
7 extensively used in food and cosmetic industry (Dauqan & Abdullah, 2013). Those
8 two industrial areas currently form important sources of AgNPs and it is therefore
9 expected that GA is used as NP coating to improve commercial products (food
10 packaging, soap, lipstick, etc.). Gum arabic is a weak polyelectrolyte containing
11 carboxyl groups (pK 2.2) (Jayme et al., 1999), which provides a strong steric
12 stabilization to AgNPs. The effect of varying dissolved silver ion concentration on
13 AgNP behaviour is poorly understood, and was studied here using GA-coated AgNPs
14 with a 40% of total silver present as unreacted silver ions in the stock solution, bound
15 to NPs and/or coating surfaces.

16 Therefore, we here use polymer-coated AgNPs with different physicochemical
17 properties as models to study their aggregation kinetics in the environment. We used
18 synthetic NaCl solutions of increasing concentrations in order to understand the
19 aggregation mechanisms. Chloride ions occur at high concentrations in in marine
20 waters (ca, 0.55 M at salinity 35) and form a key controlling factor in silver
21 speciation, so their use in this work should provide us with a good approximation for
22 the real behaviour of AgNPs in natural waters. In addition, we studied the
23 aggregation/oxidation of polymer-coated AgNPs in natural fjord waters, in order to
24 test their behaviour in a real marine environment, compare the results with the

1 obtained in synthetic NaCl solutions and verify their utility as a kinetic aggregation
2 model in more complex matrices.
3

4 The Derjaguin-Landau-Verwey-Overbeek (DLVO) theory has provided realistic
5 descriptions of the aggregation of NPs in solution (Baalousha et al., 2013; Huynh &
6 Chen, 2011; Li et al., 2011; Quik et al., 2014). This theory, originally applied in
7 colloids science, describes the net energy of interactions between particles in terms of
8 van der Waals and electric double layer interactions (Derjaguin & Landau, 1941;
9 Verwey et al., 1948). According to the DLVO theory, upon discharge of stable NPs
10 into the environment the balance between van der Waals attraction forces and
11 electrostatic repulsion forces determines their stability. In solutions of increasing ionic
12 strength the diffuse electrostatic double layer surrounding a charged NP is
13 incrementally compressed and therefore, at high electrolyte concentrations attractive
14 forces prevail leading to the attachment of the NPs. In contrast, at low ionic strengths
15 when NPs are electrostatically stabilised by repulsive forces, NPs remain in solution,
16 favouring their transport and facilitating potential ecosystem effects in natural waters.
17 In this work we use the DLVO theory to quantitatively describe the interactions
18 between AgNPs coated with two different polymers, simulating their discharge into
19 the aquatic environment using NaCl solutions of increasing ionic strength (up to 1 M)
20 and natural fjord waters.
21

22 In order to follow the aggregation kinetics of NPs in solution, we use one of the most
23 characteristic properties of AgNPs, that is their distinctive surface plasmon resonance
24 band (SPRB). This band is apparent at around 380-420 nm and the result of photon
25 absorption by surface electrons on AgNPs (Amendola et al., 2010; Evanoff &
26 Chumanov, 2005). AgNPs in solution attenuate light and consequently provide a
27 signal in the absorption spectra (SPRB). Observations of the change in the SPRB area
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

(A) with time by UV-Visible spectrophotometry, allows us to obtain the initial removal rates of non-aggregated AgNPs that are proportional to the aggregation rate constants. AgNP aggregates may contribute to the SPRB signal, but these usually appear as a poorly defined band in the red region of the spectra, and can be separated from the signal of the non-aggregated NPs. Moreover, in this work we used a miniature spectrophotometer with a light source connected through optical fibres that allowed the collection of spectra in the range 250 to 800 nm in less than one second. Therefore, unique and valuable information on the first stages of the AgNP aggregation process, such as the formation of new NPs from the Ag ions, was obtained here. Moreover, the experimental setup allowed us to record full scans in a continuous manner during the entire kinetic experiment, providing valuable information of aggregation rate-stages during the process.

The aim of this work therefore is to investigate the use of AgNPs coated with natural polysaccharides as models to study AgNP aggregation kinetics upon discharge in complex environments, such as fresh, estuarine and coastal waters, represented here as NaCl solutions of increasing ionic strength (up to 1M) and natural fjord waters.

2. Materials and methods

2.1. Synthesis of AgNPs and sample collection

AgNPs coated with gum arabic (AgNP-GAL and AgNP-GAH, where L denotes low Ag^+ and H high Ag^+ content) and alginate (AgNP-ALG) were synthesized by chemical reduction of a silver nitrate salt following the established methods (Lin et al., 2012; Ma et al., 2012), with minor modifications. The total silver concentration (Ag^+ , Ag^+ -complexes and Ag^0) in the original solution batches as determined by ICP-MS (Quadrupole Thermo X-Series 2) of AgNP-GAL was $195 \pm 9.3 \mu\text{M}$ with around

0.2 % of the total silver as Ag^+ in solution, and for the AgNP-GAH was $98.3 \pm 3.1 \mu\text{M}$ with around 37 % of the total silver as Ag^+ bound to AgNPs and/or coating surfaces. The total silver concentrations of the original batch solutions of AgNP-ALG and $^{109}\text{AgNP-ALG}$ (silver stable isotope 109 is usually used as tracer; Ag107 is naturally occurring isotope) were $668 \pm 43 \mu\text{M}$ (0.2 % of total silver as Ag^+ in solution) and $556 \pm 4.7 \mu\text{M}$ (0.03 % of total silver as Ag^+ in solution), respectively. These silver isotopes were used here due to their slightly different characteristics (Table 1) in terms of width of the SPRB at half height ($W_{h/2}$) and ζ -potential (ζ). These concentrated stock solutions were diluted and used in the experiments. Details of AgNPs synthesis can be found in the supplementary information (SI).

The chemicals used throughout the experiments were purchased from Sigma-Aldrich (Dorset, UK) and Fisher Scientific (Leicestershire, UK). High-purity water (MilliQ, Millipore, Watford, UK) with a resistivity of $18.2 \text{ M}\Omega \text{ cm}$ was used.

The natural fjord water surface sample was collected in Kiel fjord (54.368°N , 10.195°E), located in northwest Germany, and stored in an acid-cleaned low density polyethylene (LDPE) bottle (Nalgene) until use. A complete sample characterization can be found in the SI.

2.2. *Experimental techniques and equipment*

The AgNPs batches used in the experiments were periodically characterized through measurement of pH and silver ion content in solution, and determination of the position, area (A) and $W_{h/2}$ in a UV-Visible spectrum (Fig. S1). Other techniques such as transmission electron microscopy (TEM) and Flow-field flow fractionation (F-FFF) were also used to determine AgNP size (Figs. S2-S3 and more details in the SI).

- UV-Visible spectrophotometry

The UV-Visible spectra were recorded using a deuterium tungsten halogen light source (DT-Mini 2GS, Ocean Optics), a quartz cuvette and a miniature CCD array spectrophotometer (USB-4000, Ocean Optics), connected through two optical fibres (600 μm fiber, P600-025-SR). Using this set-up we were able to obtain a complete scan (from 250 to 800 nm) in <1 s. A control solution without AgNPs was used to blank correct the instrument before the start of the measurements. The solutions at fixed pH (8.0 ± 0.2), with a range of AgNP, total silver concentrations (44 and 90 μM), different NaCl concentrations (from 0 to 997 mM) and also natural fjord waters, were analysed in terms of SPRB evolution (A , $W_{h/2}$, SPRB height and position of the absorbance maximum) over time (Videos S1-S8). The same integration time (100 ms), number of averaged scans (3) and boxcar smoothing (10) were used during the experiments. At least two replicates were measured for each experiment. In order to avoid possible contributions to A of AgNP aggregates, that would present absorption at higher wavelengths (> 500 nm), we obtained A , $W_{h/2}$, SPRB height and position of the absorbance maximum from a straight line traced from the base of the SPRB between 325 and 500 nm. An in-house Matlab script was used to record a full spectrum (from 250 to 800 nm) every second at the beginning of the aggregation process when the changes of the SPRB were fast, and increasing this time step as the experiment proceeded. The experiments were conducted until the SPRB disappeared in the case of fast aggregation processes, and for at least 1500 s in the case of slow processes.

- Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Silver content was measured by ICP-MS after dilution and digestion of the samples with 0.3 M HNO_3 (70%; Optima, Fisher Scientific). Oxidation experiments were undertaken to verify the AgNP stability in terms of solubilisation in the original

1 batches and during the experiments. Silver ion (Ag^+) concentrations in solution
2 produced during the dissolution of the AgNPs were determined using different
3 approaches depending on the sample matrix. At negligible Cl^- concentrations an Ag
4 Ion Selective Electrode (Ag-ISE) from Thermo Scientific (9616BNWP) was used. For
5 saline matrices, separation of Ag^+ (free silver ion and its complexes) and AgNP was
6 necessary. We carried out the separation by ultrafiltration using centrifugal ultrafilters
7 (3kDa, Amicon Millipore) and a centrifuge (5430R, Eppendorf). Subsequent
8 quantification of Ag^+ and total silver in the filtrate and retentate was carried out by
9 ICP-MS.
10
11
12
13
14
15
16
17
18
19
20

21 *2.3. Aggregation kinetics of AgNPs: model background*

22 The evolution of the AgNPs absorption spectra with time provided data to determine
23 the aggregation kinetics of NPs. Therefore, the reduction in A was monitored in order
24 to follow the aggregation kinetics at different NaCl concentrations and in natural fjord
25 waters. The critical coagulation concentrations (CCCs), were calculated when
26 possible, as they provide a simple stability limit of a NP suspension. The SPRB is due
27 to excitation of the conduction electrons in the particles. The changes in the SPRB
28 area reflect an overall aggregation process of the AgNPs present in solutions. This
29 probably includes not only non-aggregated AgNPs, but also small clusters. The
30 calculations were done measuring the decrease of the SPRB area at the beginning of
31 the aggregation process, when aggregate formation commenced. We did not observe
32 significant changes in the position of the SPRB maximum or appearance of secondary
33 peaks during that time window. The SPRBs depend on AgNP size, shape, dielectric
34 constant of the medium, and electromagnetic interactions among adjacent particles.
35 Isolated silver spheres have only one plasmonic resonance due to their symmetry, but
36 new resonances can appear when they are organized in small assemblies. Therefore,
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

multimers have new resonance modes with a higher absorption wavelength than the shown by isolated AgNPs (Amendola et al., 2010). Therefore, we consider that non-aggregated AgNPs are the only entities contributing to the size of the area under the SPRB. Consequently, the reduction in the SPRB value, due to the decrease in the number of surface electrons in the NPs, can be related to the change in Ag nanoparticle concentration containing an average number of silver atoms, and can be described by the following reaction law (Espinoza et al., 2012):

$$SPRB \text{ area rate change} = \frac{dAg_a}{dt} = \frac{dA}{dt} = -kA^n \quad \text{Eq. 1}$$

where Ag_a is the concentration of silver atoms in the solution (M), A is the area under the SPRB (A.U. s^{-1}), k (s^{-1}) the aggregation rate constant and n the reaction order.

Two different mechanisms can dominate the AgNP removal kinetics in the presence of NaCl: oxidative decomposition, at $[NaCl] < 25$ mM, and aggregation, at higher NaCl concentrations (Espinoza et al., 2012). Oxidative decomposition is a relatively slow process due to the passivation of the AgNP surface by silver chloride species and/or other by-products formed during the reaction. When oxidation is the dominant mechanism, a representation of $\ln(dA/dt)$ vs $\ln(A)$ should provide a straight line with a slope, n , of around 0.67. The AgNP dissolution is here proportional to the NP surface area per unit volume of solution (Espinoza et al., 2012).

In contrast, if aggregation dominates, the decrease in A can be ascribed to AgNP removal due to attachment of two non-aggregated NPs, providing a reaction rate of the order two. Therefore, integrating Eq. 1 for $n=2$ the following is obtained:

$$\frac{1}{A} = \frac{1}{A_0} - kt \quad \text{Eq. 2}$$

A plot of the inverse of A vs t should then provide a straight line.

1 ALG and GA-coated AgNPs presented a negative surface charge in the experimental
2 solutions (Table 1). The presence of these electrostatic charges in solution affects the
3 interaction between NPs and the surrounding medium. Therefore, electrostatic
4 considerations should be taken into account in the modelling efforts. Speciation
5 calculations using the software MINTEQ+ were conducted for the fraction of silver
6 that was not reduced during the manufactured procedure (Fig. S4). These indicated
7 that the saturation index of AgCl (mineral cerargyrite) is not achieved even at high
8 NaCl concentrations (600 mM). The main soluble silver species formed in presence of
9 NaCl at pH of 8.0 are AgCl_{aq} , AgCl_2^- , AgCl_3^{-2} and AgCl_4^{-3} , in agreement with other
10 studies (Barriada et al., 2007). Only at NaCl concentrations lower than 20 mM, is the
11 neutral compound AgCl_{aq} the dominant species together with AgCl_2^- . As the NaCl
12 concentration is increased, AgCl_2^- represents the principal silver compound up to 200
13 mM, from where AgCl_4^{-3} and AgCl_3^{-2} contribute with more than 20% to the total
14 species present in solution (Fig. S4)

15 The interactions between suspended AgNPs as a result of Brownian motion can be
16 described according to DLVO energy profiles. DLVO theory assumes that the
17 interaction free energy per unit area between two particles can be estimated by two
18 additive contributions, namely van der Waals and double layer interactions. In this
19 study, NPs with a charged surface are studied and repulsive electrostatic double layer
20 interactions could dominate their stability, especially at lower salt concentrations. In
21 contrast, at high salt concentrations and/or low surface charge, the interactions
22 between NPs are dominated by the attractive van der Waals forces.

23 We assume that aggregation starts with a dimer formation from two non-aggregated
24 NPs, based on the Smoluchowski principle (Chandrasekhar, 1943), and that
25 aggregates of any size will form with an identical kinetic rate constant k ; subsequently

aggregated-NPs and/or aggregate-aggregate interactions can occur forming unstable suspensions. The aggregation rate constant is proportional to the slope of the change on A over time during the early stages of the aggregation, when formation of dimers is considered important, according to Eq. 2.

At enhanced ionic strengths the electrical double layer surrounding the NPs is compressed, and the role of electrostatic interactions in the aggregation process is screened. Van der Waals forces and hydrodynamic interactions are minor and the aggregation kinetic is controlled by Brownian diffusion. This regime is known as fast aggregation or diffusion controlled aggregation (DCA). In contrast, at lower ionic strengths double layer interactions between the charged NPs result in an energy barrier. As a consequence, the aggregation rate is reduced and the NPs remain in solution for longer. This regime is known as slow aggregation or reaction controlled aggregation (RCA), due to mechanistic similarities to chemical reactions.

Normalising the slopes obtained at different salt concentrations to the one obtained in the DCA regime, under favourable aggregation conditions, the aggregation efficiency (α), which represents the fraction of successful aggregation, can be calculated by:

$$\alpha = \frac{k}{k_{DCA}} = \frac{\left(\frac{dA}{dt}\right)}{\left(\frac{dA}{dt}\right)_{DCA}} \quad \text{Eq. 3}$$

Plotting the evolution of α against the NaCl concentration, the CCCs can be obtained as the intercept between the RCA and DCA regimes. When the NaCl concentration exceeds the CCC at α of 1, the NPs double layer is sufficient suppressed to allow NPs to approach each other, resulting in rapid aggregation. As a consequence, above the CCC when NPs double layer is suppressed, DCA occurs with the rate of change of A almost independent of the electrolyte concentration.

The SPRB evolution was followed from the first second after the AgNP addition to the solutions containing various NaCl concentrations and natural fjord waters. To our best knowledge this is the first time that UV-visible spectral data for AgNP were obtained from the initial stages of a NP aggregation process, which helps to understand and quantify the AgNP interactions during early stages of aggregation. The CCC values are obtained using UV-Visible spectrophotometry by determining A or $W_{h/2}$ evolution over time at different NaCl concentrations (from 0 to 997 mM). The $W_{h/2}$ is related to the SPRB height and also to its area. Therefore, it is expected that this parameter may also be useful to calculate parameters such as the CCC, as demonstrated in the manuscript. Moreover, A also allows us to assess the dominant mechanism of AgNP removal, through oxidation and/or aggregation.

3. Results and discussion

3.1 AgNPs characterization

In order to verify the stability of the synthesised AgNPs over time, the following variables were frequently measured in the stock solutions: pH, Ag_{total} and Ag^+ concentrations, $W_{h/2}$, position of the SPRB, ζ -potential, hydrodynamic diameter (d_h), and NP diameter using TEM. The obtained values for AgNP-ALG, ^{109}Ag NP-ALG, AgNP-GAL and AgNP-GAH are presented in Table 1. A detailed explanation of the AgNP characterization can be found in the SI.

Table1. Variables measured to establish the stability of the manufactured AgNP stock solutions over time: pH, surface plasmon resonance band (SPRB), width of the SPRB at half height ($W_{h/2}$), ζ -potential (ζ), hydrodynamic diameter (d_h), diameter (TEM), total silver (Ag_{total}) and free silver ions and its complexes (Ag^+). The standard deviations of at least two different measurements are shown between parentheses.

	AgNP-ALG	¹⁰⁹ AgNP-ALG	AgNP-GAL	AgNP-GAH
pH	5.8-6.2	5.6-6.2	5.5-6.1	5.4-6.3
SPRB _{max} (nm)	398-399	394-396	398-400	398-401
W _{h/2} (nm)	65.5-64.8	56.5	63.0	56.8-57.5
ζ (mV)	-70 (6.7)	-48 (8.9)	-41 (7.1)	-43 (6.3)
d _h (nm)	33 (3.3)	35 (3.9)	55 (6.0)	---
diameter (nm)	9.7 (0.44)	---	10 (0.29)	---
Ag _{total} (μM)	668 (43)	556 (4.7)	195 (9.3)	98.3 (3.1)
Ag ⁺ (%)	0.2 - 2	0.03 - 3	0.2 - 8	37 - 44

3.2 AgNPs aggregation and dissolution kinetics

The SPRB area evolution over time was followed by UV-Visible spectrophotometry in solutions containing a fixed initial amount of AgNPs (44 or 90 μM). Upon addition of NaCl to the solution, the pH was adjusted to 8.0±0.2. In absence of NaCl, AgNPs were stable over time in terms of aggregation (Fig. S1). With increasing NaCl concentrations, different behaviours were observed depending on the type of polymer used as coating for the AgNPs. Natural fjord water was also used in the kinetic aggregation experiments.

AgNP coated with alginate

AgNP-ALG and ¹⁰⁹AgNP-ALG behaved according to the DLVO aggregation theory. Figure 1 shows the characteristic fast and slow aggregation kinetic regimes obtained by UV-Visible spectrophotometry.

At pH 8 the main acid groups present in alginate (-COOH) are deprotonated (Rey-Castro et al., 2004) providing the AgNP with a net negative charge (see ζ-potential values in Table 1). In this case, the alginate coating stabilises the AgNP suspension by

electro-steric repulsion, and consequently in low ionic strength solutions aggregation is prevented. Nevertheless, at enhanced NaCl concentrations a plot of $1/A$ vs t (Eq. 2) yielded straight lines with high regression coefficients, confirming the aggregation process (Video S2).

Figure 1

SPRB area, A , evolution over time for AgNP-ALG in NaCl 42 mM (a) and 153 mM (b), and for $^{109}\text{AgNP-ALG}$ in NaCl 42 mM (c) and 153 mM (d). The insets represent enlarged regions for the first 100 s.

The area under the SPRB curve in the frequency spectrum is proportional to the quantity of surface electrons in the AgNPs and consequently to the concentration of silver atoms in the solution (each silver atom donates one electron to the metal).

Therefore, the increase in peak area confirmed the formation of new small NPs from Ag^+ reduction in the presence of low amounts of Cl^- ions and/or silver-chloride species. The SPRB evolution over time at different NaCl concentrations is shown in Videos S1-S2. For NaCl concentrations ≤ 42 mM there was an increase in A between 5-25 s and finally a constant value was achieved (inset Fig. 1a). Small varying trends were also observed at longer times for the lowest salt concentrations tested. Nevertheless, at $[\text{NaCl}] > 61$ mM a rather continuous reduction of A was observed (Figs. 1b, S5a-b).

The percentage increase in A that occurred during the first 25 s is presented in Table S2. At NaCl concentrations higher than 58 mM for AgNP-ALG and 50 mM for $^{109}\text{AgNP-ALG}$, there was no observable increase in A , so contributions from the formation of new AgNPs from the silver ions are not expected. Usually, the time required for the collection of a full spectrum using a standard bench-top laboratory spectrophotometer is ≥ 25 s, and therefore important information, such as the possible formation of new NPs from the silver ions present in solution, is missed. In this study, we obtained a full spectrum from the first second of a NP aggregation process, which facilitated our interpretation of AgNP behaviour at the early stages of aggregation. The CCC values obtained for AgNP-ALG and $^{109}\text{AgNP-ALG}$, following the evolution of A in the RCA and DCA regimes, were 80 ± 9.3 and 82 ± 4.2 mM (Fig. 2).

The relatively high error in these values was associated with the uncertainty in the selection of the time window for the initial aggregation stage, where the NP dimers are formed. Different linear steps following Eq. 2 were observed in the aggregation process depending on the NaCl concentration. Two or three regions with different slopes of change of A with time were noted as the aggregation proceeded, corresponding to different aggregation rates (Fig. 1 and Video S2).

Figure 2

Aggregation efficiencies obtained from the changes over time of A using a) AgNP-ALG and b) $^{109}\text{AgNP-ALG}$ at different NaCl concentration. Error bars represent the standard deviation of at least two replicates of the same experiment.

CCC represents the minimum NaCl concentration required to destabilize the NPs in solution, providing an important indicator for AgNPs stability. The obtained values using different polymer-coated AgNP can be used to predict their behaviour and fate in natural systems at specific ionic strengths and in the absence of organic matter. The $W_{h/2}$ evolution was determined over time in order to track possible changes to the AgNPs surface, including adsorption-desorption of different species and oxidation layer formation (Fig. S6a-b and Videos S1-S2). The $W_{h/2}$ values obtained at $[\text{NaCl}] = 31$ mM showed a decrease relative to those observed in the absence of NaCl. The SPRB narrowing in presence of NaCl indicated that the surface species (possibly ALG coating or Ag species) are being replaced by chloride ions (Espinoza et al., 2012). Nevertheless, at $[\text{NaCl}] > 31$ mM, $W_{h/2}$ increased with time (up to 180 nm) until a constant value was reached at the end of the experiment. At enhanced NaCl concentrations, the AgNP aggregation could contribute to the widening of the SPRB

1 due to light absorption of the aggregates and/or non-spherical nanoparticle shapes at
2 wavelengths higher than 500-550 nm.
3

4 Moreover, the slopes observed for the $W_{h/2}$ evolution at the beginning of the process,
5 increased with NaCl concentration up to 77 mM. At higher salt concentrations the
6 slopes were rather similar, and identical to what was observed by plotting the
7 evolution of α against NaCl concentration (Fig. 2). Therefore, the $W_{h/2}$ evolution over
8 time also provided a good approximation for CCC values.
9

10 The AgNPs oxidation experiments indicated that the presence of Ag^+ species in
11 solution increased from 2 to 9 % of the total silver content within 20 min at 537 mM
12 NaCl. Therefore, it is possible that AgNP dissolution also played a role in aggregation
13 kinetics. The AgNP oxidation could not be confirmed by a plot of $\ln(dA/dt)$ vs $\ln(A)$
14 and verification of the obtained slopes, as these were different (values between 3.6
15 and 6.8) to the theoretical value (0.67) expected for oxidation processes (see SI,
16 Videos S1 and S2)
17

18 The analysis of the AgNP-ALG aggregation in the natural fjord waters is presented in
19 Figure S7a-b and Video S3, where the evolution of the SPRB with time is presented.
20 The fjord water sample had a pH of 7.7 and a salinity of 17.19, which is equivalent to
21 a chloride concentration of ca. 270 mM. This salt concentration is higher than the
22 CCC value found in NaCl (~81 mM), so a rapid aggregation kinetic of alginate-coated
23 AgNP is expected upon discharge into the fjord waters. However, comparison of the
24 A decrease during the first stage of aggregation in a NaCl solution ($[NaCl] \geq 153$ mM)
25 and in natural fjord waters, shows a much slower aggregation rate for the natural
26 water (Fig. 3).
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

Figure 3

Normalized SPRB area (A/A_0) evolution over time for AgNP-ALG (left) and $^{109}\text{AgNP}$ -ALG (right) in natural fjord waters (dashed lines), 153 mM NaCl (solid lines) and 537 mM NaCl (dotted lines)

During the time window (~ 40 s) over which the CCC values were calculated, a 38 % decrease in A for NPs in NaCl solutions (153 and 537 mM) was observed, while for identical ALG-coated NPs deposited in natural fjord waters, A remained stable ($^{109}\text{AgNP}$ -ALG) or showed a minor reduction of 10 ± 0.35 % (AgNP-ALG). Moreover, if the time required to decrease A by half is compared, we observed significant differences between the artificial and natural waters. A period of 1-2 min was sufficient to decrease the initial value of A in NaCl solutions (153 and 537 mM) by two fold (Fig. 3); nevertheless, for natural fjord waters a period of ca. 5 h was required to obtain an identical reduction in A for the ALG-coated NPs (Video S3). These observations highlight the influence of the complex environment in the fjord waters compared to the synthetic NaCl solution. A detailed analysis of the natural fjord water sample is shown in Table S3. The total organic carbon content was high (277 μM) compare to the values usually found in seawaters (< 80 μM). Fluorescence dissolved organic matter (FDOM) and chromophoric dissolved organic matter

(CDOM) analyses confirm the presence of different types of organic compounds in solution. The position of the emission and excitation bands shown in FDOM measurements (Fig. S8a) corresponded to fluorescent species from different sources: terrestrial humic-like (A-peak) and terrestrial fulvic-like (C-peak), in agreement with other reports for fjord waters (Coble, 2007; Ishii & Boyer, 2012). CDOM from fjord waters represents a complex pool of substances rich in humic/fulvic materials that originate from terrestrial sources. A CDOM absorption coefficient, a_{355} , of 2.55 m^{-1} was obtained at 355 nm. Absorption is a proxy for the concentration, while the spectral slope, $S = 0.010 \text{ nm}^{-1}$ (between 280 and 312 nm), describes the steepness of the spectrum and is used to account differences in CDOM composition (Fig. S8b). Both measurements, CDOM and FDOM, showed high terrestrially derived organic matter inputs (Sulzberger & Durisch-Kaiser, 2009). No significant differences were found in the aggregation/oxidation behaviour of the stable, $^{109}\text{-Ag}$, and naturally occurred, $^{107}\text{-Ag}$, isotopes, despite their slightly different $W_{h/2}$ and ζ -potential.

AgNP coated with gum arabic: AgNP-GAL

In contrast to AgNP-ALG, the exposure of AgNP-GAL to increasing NaCl concentrations had only a minor effect on their aggregation process for periods up to 25 min. Moreover, there was no clear correlation between the aggregation rate constant (k) and the NaCl concentration, as is expected for a system following the DLVO colloid theory.

At NaCl concentrations $<153 \text{ mM}$ and experimental durations lower than 1500 s, the A values showed very small changes (Fig. 4 and Video S4). For $[\text{NaCl}] \geq 153 \text{ mM}$ over the same time window, the A decreased with time to values between 3 and 41%

of its initial value. Moreover, at the highest NaCl concentrations tested (537 and 997 mM) a linear decrease of around 75-80 % of the initial A was observed after 3-4 h (Video S5).

Figure 4

SPRB area evolution over time for AgNP-GAL at different NaCl concentrations: 50 (left) and 153 mM (right). The insets represent an enlarged region for the first 100 s.

High correlation coefficients were obtained through fitting Eq. 2 to UV-Visible data, (Video S5), demonstrating that aggregation of NPs is contributing to the decrease in A , but slower than for AgNP coated with alginate.

As ζ -potential measurements indicate (Table 1), the NPs were negatively charged.

Even if a CCC value could not be obtained, some electrostatic stabilization contribution is expected as indicated by the minor tendency to aggregate (Fig. 4).

However, the increase in ionic strength alone does not explain the aggregation kinetic behaviour. GA is polymer with a high molecular weight (5×10^4 to 8×10^6 g/mol), with a strong steric stabilisation power (Jayme et al., 1999; Lin et al., 2012). The behaviour of AgNP-GAL is hence not entirely dependent on the electrostatic forces, and therefore it appears that the GA coating stabilizes the NPs predominantly due to steric

effects. Nevertheless, the steric stability provided by the GA coating disappeared at long experimental times and enhanced NaCl concentrations.

In order to investigate the changes observed in the steric stability of AgNP-GAL, the $W_{h/2}$ evolution was determined over time (Fig. S6c). At $[NaCl] < 153$ mM, the $W_{h/2}$ values were lower than those observed in the absence of salt. Moreover, a decrease over time was observed for $[NaCl] < 60$ mM during the first 10 s of the experiment. This SPRB narrowing could indicate that surface species are replaced by chloride ions and consequently prevent NP aggregation. In contrast, at highest NaCl concentrations (537 and 997 mM), increases in $W_{h/2}$ were observed, which was clearly related to the formation of AgNP aggregates contributing to the increase in absorbance at high wavelengths and modifying the shape of the SPRB. As observed for AgNP-ALG, a wide and poorly defined band appeared at wavelengths between 500 and 750 nm for the highest NaCl concentrations (Video S5). This band was also observed by other authors (Baalousha et al., 2013; Moskovits & Vlčková, 2005). Moreover, no evidence for new AgNP formation from silver ions was observed by UV-Visible spectrophotometry (Table S2).

The AgNP-GAL dissolution experiment indicated that the presence of Ag^+ species in solution increased from 8.5 to 9.5% of the total silver content for NaCl concentrations of 0 and 537 mM. Therefore, AgNP oxidation under the conditions tested was of minor importance. A plot of $\ln(dA/dt)$ vs $\ln(A)$ produced slopes with values between 1.4 and 2.6, different to the theoretical value expected for an oxidation process (0.67). On the other hand, as was observed for ALG-coated NPs, the addition of AgNP-GAL to natural fjord waters produced a noticeable additional stabilization against aggregation of the NPs compared to NaCl solutions at equivalent chloride concentration (Fig. 5).

Figure 5

Normalized SPRB area, A/A_0 , evolution over time for AgNP-GAL (left) and AgNP-GAH (right) in natural fjord waters (dashed lines), 153 mM NaCl (solid lines) and 537 mM NaCl (dotted lines)

More than 15 h after the introduction of AgNP-GAL to the fjord waters, no appreciable aggregation was observed with only 2% decrease in A (Video S6).

Nevertheless, within only 25 min the SPRB area decreased $12 \pm 1.5\%$ when AgNP-GAL was added to NaCl (153, 537 mM), with a two fold decrease in A after 1 h. This indicates the important role of natural organic matter presented in the fjord waters on the stabilization of the AgNP-GAL, reducing aggregation in solution at a salinity of 17.19 due to steric-electrostatic forces (Fig. S7c). Therefore, it is crucial to elucidate the role of organic matter in natural waters, in order to better understand behaviour and fate of discharged NPs.

AgNP coated with gum arabic: AgNP-GAH

Inefficient purification during the manufacturing of AgNPs will lead to the presence of unreacted silver ions in the NP stock solution. Unreacted silver ions may also occur in solutions due to AgNP dissolution. The high affinity of the non-reduced silver ions

for the NP coating and/or surfaces is expected to influence AgNPs behaviour in terms of aggregation and oxidation. This phenomenon is poorly understood and was studied here using GA-coated AgNPs. The steric stabilisation of GA coating was not noticeable in case the AgNP-GA solutions contained enhanced concentrations of Ag^+ (AgNP-GAH with >40% of the total silver content as soluble Ag^+ bound to the NPs and/or coating surfaces). This was likely due to changes in the coating layer structure and/or adsorption due to interactions with different silver-chloride species present in excess and interacting with the AgNPs.

The reduction in A (Fig. 6) was determined and yielded a CCC of 45 ± 0.73 (Fig. 7) (not considering $[\text{NaCl}] > 77 \text{ mM}$).

Figure 6

SPRB area evolution over time for AgNP-GAH at different NaCl concentrations: 42 (left) and 153 mM (right). The insets represent a zoom region for the first 100 s.

Two different types of behaviour were observed depending on NaCl concentration. At $[\text{NaCl}] < 153 \text{ mM}$ the SPRB evolution experiments indicated strong variations in area together with more constant stages, and finally after 200-600 s a linear decrease was observed until the SPRB disappeared in 50-80 min (Fig. 6, Video S7). At higher salt concentrations a different behaviour of the SPRB was observed. In the first 65 s A

showed strong variations, but subsequently it decreased more slowly, at enhanced salt concentrations, until it disappeared in linear manner after more than 1.5-5 h for 153 and 537 mM NaCl, respectively (Fig. 6, Video S8).

The slopes and regression coefficients for the linear regression fit of A reduction (Eq. 2) confirmed that aggregation was the main mechanism involved at NaCl concentrations up to 77 mM. The unexpected behaviour observed at higher NaCl concentrations, which presented a slower aggregation kinetic, was attributed to the high amount of silver species (AgCl_2^- , AgCl_3^{-2} and AgCl_4^{-3}) immediately surrounding the NPs that could act as a protection layer for the NP surface, delaying the aggregation phenomena. Moreover, a steric stabilisation contribution could also be possible due to conformational changes in the GA coating structure that may occur at very high NaCl concentrations in presence of unreacted silver ions from the NP stock solution.

Figure 7

Aggregation efficiencies obtained from the changes over time of A of AgNP-GAH at different NaCl concentration. Error bars represent the standard deviation of at least two replicates of the same experiment.

Figure S6d shows the $W_{h/2}$ evolution over time for AgNP-GAH. In contrast to ALG-coated NPs, a rather continuous decrease of $W_{h/2}$ was observed for $[\text{NaCl}] \leq 153 \text{ mM}$. This narrowing of SPRBs was associated with the substitution on the NP surface of AgO_2 and/or GA with silver chloride species formed as a consequence of the high initial concentration of silver ions present in the NP stock solution. Therefore, the SPRB narrowing was more noticeable than in the AgNP experiments. The slopes of $W_{h/2}$ vs t were similar for salt concentrations between 42 and 153 mM, and as a consequence a CCC value of ca. 42 mM is obtained, in agreement with the value derived from the A evolution over time. In contrast, at the highest NaCl (537 mM), $W_{h/2}$ values were greater than the value obtained in absence of salt and also stable over time. That behaviour reflects the influence of silver species initially present in the AgNP stock solution on the aggregation kinetic, at NaCl concentrations equivalent to those in marine waters. Therefore, thorough NP purification is required as part of the manufacturing process with a detailed NP characterization including silver ions analysis in the stock solution. It is well established that silver ions are highly toxic and persistent in ecosystems. However, it is still unclear to which extent the toxic effects of AgNPs arise from their capacity to release of silver ions or from specific characteristics of NPs themselves, or both. In this work we show how the presence of silver ions, due to incomplete reduction during AgNP manufacturing, greatly influence the aggregation/oxidation behaviour of the AgNPs. The concentration of silver ions present in AgNP aggregation studies is usually very low, and therefore their effect is limited. In this work we studied the influence of silver ions at a concentration equivalent to the 40% of the total silver concentration in solution. We consider this fact relevant since little is known about the influence of the environmental

1 effects of silver ions, released after AgNPs oxidation, or present when they are
2 discharged together with AgNP in solution.
3
4 New AgNP formation from ions occurred during the first 5-25 seconds of NaCl-
5 AgNP interaction for $[\text{NaCl}] \leq 153 \text{ mM}$ (Table S2).
6
7 Dissolution experiments with AgNP-GAH showed that the concentration of Ag^+
8 (silver chloride species) in solution increased after 200 min from 44 to $65 \pm 5 \%$,
9 independent of the NaCl concentration (31 or 537 mM). Therefore, after more than 3
10 hours only 35% of the total silver was in the form of AgNP (not considering
11 aggregation). The oxidation of the AgNPs was monitored during the aggregation
12 kinetic studies, but was only detected after the SPRB disappearance. This fact implies
13 that there were not AgNPs that contribute to the SPRB (mainly non-aggregated
14 AgNPs) in solution. Therefore, we hypothesised that the oxidation occurred after the
15 aggregation and later sedimentation of the AgNPs. Therefore, confirmation of the
16 oxidation process (see SI) from plotting the $\ln(dA/dt)$ vs $\ln(A)$ could not be obtained
17 (Videos S7-8). Even though, the slopes were closer (between 0.30 and 0.50) to the
18 theoretical value of 0.67.
19
20 The distinct behaviour of AgNP-GAH was also observed upon introduction to natural
21 fjord waters. In contrast to the other polymers-coated NPs, the complex organic
22 matter content of these waters did not facilitate their stabilization (Figs. 5b and S7d).
23
24 A two fold reduction in A was observed after ca. 40 and 150 min upon addition of
25 AgNP-GAH to 153 and 537 mM NaCl solutions at pH 8, respectively. Nevertheless,
26 when identical NPs were introduced to the natural fjord waters, A was reduced by ca.
27 50% within 15 min. Therefore, a much faster aggregation occurred. This fact was also
28 attributed to the high amount of silver-chloride charged species immediately

surrounding the NPs, that interact with the organic matter present in solution and reducing the additional steric-electrostatic stabilization.

Conclusions

UV-Visible measurements provided important information on kinetic processes of AgNPs aggregation. UV-Visible spectrophotometry allowed us to obtain unique and valuable information during the first seconds of the AgNP aggregation process, which provided evidence on the first stages of the AgNP aggregation process, of new NP formation from silver ions. Moreover, it also allowed us to distinguish between different stages of the kinetic aggregation process that corresponded to different aggregation rates. The decrease in the *SPRB area* (*A*) also provided confirmation of aggregation as the dominant mechanism, while the analysis of the $W_{h/2}$ provided a good assessment of CCC values. A relatively high AgNP concentration (μM) was used in this study due to the detection limits of the spectrophotometric technique used. As a consequence, the extrapolation of the obtained results to realistic environmental concentrations of AgNPs is not straightforward. The aggregation and dissolution of NPs is influenced by their concentration in solution. Therefore, differences in the aggregation/dissolution rates are expected upon realistic and lower AgNPs discharges in the environment.

Alginate coating showed moderate electrostatic stabilization with a CCC of around 82 mM in NaCl solutions at pH= 8.0. Gum arabic coating provided AgNP with steric stabilization at low silver ion/silver species concentrations. In contrast, low electrostatic stabilization was obtained with a CCC value of around 41 mM in NaCl solutions containing <60% of silver as AgNPs probably because of changes in the coating layer structure and/or adsorption due to interactions with different silver-

chloride species present in excess interacting with the AgNPs. Oxidation only played a significant role for AgNP-GAH as a consequence of the instability of the aggregates, which are oxidised in presence of high concentrations of Ag^+ species. The introduction of ALG and GAL-coated NPs to natural fjord waters indicated a strong stabilization against the aggregation of the NPs by natural organic matter, evidencing the influence of the complex environment in the fjord waters compared to the synthetic NaCl solutions. Terrestrial fulvic/humic-like compounds, observed in the natural fjord waters, are likely responsible for the enhanced stabilization in terms of aggregation rate. Much faster aggregation kinetics were observed for AgNP-GAH in natural fjord waters compared to synthetic NaCl solutions. This was attributed to the high amount of charged silver-chloride species present in solution. Moreover, the effect over aggregation/oxidation kinetics of multivalent ions, e.g. calcium, present in the fjord waters should be also considered. Divalent ions have a greater influence than the monovalent ions in screening and neutralizing the surface charge of NPs. Even if calcium is present in much smaller quantities than sodium (around 50 fold) in seawaters, it presents a higher electrostatic accumulation and a greater affinity for the coating binding sites. For example, the cross-linking reaction that takes place between calcium and the alginate molecules results in a cooperative association of long regions of polymer chains, generating gel-like structures that may reduce the stability of the AgNPs present in the fjord waters due to the modification of the coating structure. This effect, if present, was not as strong as the stabilization against aggregation produced by the organic matter observed in this work.

The type of coating layer has been revealed as a key factor in the aggregation/oxidation behaviour of AgNP in solution. As a consequence, AgNPs behaving like AgNP-ALG or AgNP-GAH readily aggregate in waters with salinities

1 higher than 4.5-9, and their likely fate is sedimentation and kinetic deposition if no
2 additional stabilisation from organic matter is considered. In contrast, the behaviour
3 of steric-stabilised AgNPs allows them to remain as non-aggregated NPs for a longer
4 duration in solution, even at salinities of seawater (~35), and consequently they are
5 available for uptake by pelagic marine organism. Therefore, the behaviour of the
6 steric-stabilized AgNPs is much less affected by ionic strength changes than the
7 electrostatic-stabilized AgNPs.
8

9
10 Nevertheless, the ionic strength is not the only factor that influenced the aggregation
11 rate of the polymer-coated AgNPs. The introduction of AgNPs into fjord waters
12 resulted in additional stabilisation from organic matter independently of the
13 steric/electrostatic behaviour provided by the polymer coating. The presence of
14 different organic compounds in natural fjord waters appears to modify the expected
15 aggregation behaviour of polymer-coated AgNPs, based on the contribution of NaCl
16 at an equivalent ionic strength. Therefore, even if AgNP coated with alginate and gum
17 arabic could be considered as appropriate models to simulate the aggregation
18 behaviour of AgNPs, the extrapolation of the results obtained in studies using NaCl
19 solutions to more complex matrices containing organic compounds is not
20 straightforward.
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42

43 **Acknowledgements**

44
45 This research was supported by a Marie Curie Intra European Fellowship within the
46 7th European Community Framework Programme (grant agreement number PIEF-
47 GA-2012-329575). Prof. J. Puy, Dr. Calin David and Dr. C. Rey-Castro from the
48 Chemistry Department of Lleida University (Spain) are gratefully acknowledged for
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

1 their help with the F-FFF measurements and data analysis. King Abdulaziz University
2 is acknowledged for their support.
3
4
5
6

7 **Supporting Information**

8
9 Summary of the synthesis of AgNPs, details about experimental techniques and
10 equipment, AgNPs characterization and natural fjord water characterization. Tables
11
12 S1-S3, Figs. S1-S8 and Videos S1-S8.
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

References

- Abe, T., Kobayashi, S., Kobayashi, M. 2011. Aggregation of colloidal silica particles in the presence of fulvic acid, humic acid, or alginate: Effects of ionic composition. *Colloid Surface A*, **379**(1-3), 21-26.
- Amendola, V., Bakr, O., Stellacci, F. 2010. A Study of the Surface Plasmon Resonance of Silver Nanoparticles by the Discrete Dipole Approximation Method: Effect of Shape, Size, Structure, and Assembly. *Plasmonics*, **5**(1), 85-97.
- Auffan, M., Bottero, J.Y., Chaneac, C., Rose, J. 2010. Inorganic manufactured nanoparticles: how their physicochemical properties influence their biological effects in aqueous environments. *Nanomedicine-Uk*, **5**(6), 999-1007.
- Baalousha, M., Croteau, M.N., Dawson, K., Goldberg, E.S., How, W., Khan, F.r., Lead, J., Louie, S.M., Lowry, G.V., Luoma, S.N., Lynch, I., Ma, R., Praetorius, A., Scheringer, M., Schirmer, K., Valsami-Jones, E. 2014. *Nanoscience and the Environment. 1st Edition ed.* Elsevier.
- Baalousha, M., Nur, Y., Römer, I., Tejamaya, M., Lead, J.R. 2013. Effect of monovalent and divalent cations, anions and fulvic acid on aggregation of citrate-coated silver nanoparticles. *Sci Total Environ*, **454-455**(0), 119-131.
- Barriada, J.L., Tappin, A.D., Evans, H.E., Achterberg, E.P. 2007. Dissolved silver measurements in seawater. *Trac-Trend Anal Chem*, **26**(8), 809-817.
- Benn, T.M., Westerhoff, P. 2008. Nanoparticle Silver Released into Water from Commercially Available Sock Fabrics. *Environ Sci Technol*, **42**, 4133-4139.

- Blaser, S.A., Scheringer, M., MacLeod, M., Hungerbühler, K. 2008. Estimation of cumulative aquatic exposure and risk due to silver: Contribution of nano-functionalized plastics and textiles. *Sci Total Environ*, **390**, 396-409.
- Chandrasekhar, S. 1943. Stochastic Problems in Physics and Astronomy. *Reviews of Modern Physics*, **15**(1), 1-89.
- Chappell, M.A., Miller, L.F., George, A.J., Pettway, B.A., Price, C.L., Porter, B.E., Bednar, A.J., Seiter, J.M., Kennedy, A.J., Steevens, J.A. 2011. Simultaneous dispersion–dissolution behavior of concentrated silver nanoparticle suspensions in the presence of model organic solutes. *Chemosphere*, **84**(8), 1108-1116.
- Chernousova, S., Eppe, M. 2013. Silver as Antibacterial Agent: Ion, Nanoparticle, and Metal. *Angewandte Chemie International Edition*, **52**(6), 1636-1653.
- Coble, P.G. 2007. Marine Optical Biogeochemistry: The Chemistry of Ocean Color. *Chemical Reviews*, **107**(2), 402-418.
- Dauqan, E., Abdullah, A. 2013. Utilization of gum Arabic for industries and human health. *Am. J. Applied Sci.*, **10**(10), 1270-1279.
- Derjaguin, B.V., Landau, L. 1941. Theory of the stability of strongly charged lyophobic sols and of the adhesion of strongly charged particles in solutions of electrolytes. *Acta Phys. Chim. URSS*, **14**, 633-662.
- Espinoza, M.G., Hinks, M.L., Mendoza, A.M., Pullman, D.P., Peterson, K.I. 2012. Kinetics of Halide-Induced Decomposition and Aggregation of Silver Nanoparticles. *The Journal of Physical Chemistry C*, **116**(14), 8305-8313.
- Evanoff, D.D., Chumanov, G. 2005. Synthesis and Optical Properties of Silver Nanoparticles and Arrays. *ChemPhysChem*, **6**(7), 1221-1231.

- 1 Fabrega, J., Luoma, S.N., Tyler, C.R., Galloway, T.S., Lead, J.R. 2011. Silver
2 nanoparticles: Behaviour and effects in the aquatic environment. *Environ*
3 *Int*, **37**(2), 517-531.
4
5
6
7 Gallego-Urrea, J.A., Perez Holmberg, J., Hasselov, M. 2014. Influence of different
8 types of natural organic matter on titania nanoparticle stability: effects of
9 counter ion concentration and pH. *Environmental Science: Nano*, **1**(2),
10 181-189.
11
12
13
14
15
16
17 Gondikas, A.P., Morris, A., Reinsch, B.C., Marinakos, S.M., Lowry, G.V., Hsu-Kim, H.
18 2012. Cysteine-Induced Modifications of Zero-valent Silver
19 Nanomaterials: Implications for Particle Surface Chemistry, Aggregation,
20 Dissolution, and Silver Speciation. *Environ Sci Technol*, **46**(13), 7037-
21 7045.
22
23
24
25
26
27
28
29
30 Haug, A. 1961. Dissociation of alginic acid. *Acta Chemica Scandinavica*, **15**(4),
31 950-952.
32
33
34
35 Huynh, K.A., Chen, K.L. 2011. Aggregation Kinetics of Citrate and
36 Polyvinylpyrrolidone Coated Silver Nanoparticles in Monovalent and
37 Divalent Electrolyte Solutions. *Environ Sci Technol*, **45**(13), 5564-5571.
38
39
40
41
42 Ishii, S.K.L., Boyer, T.H. 2012. Behavior of Reoccurring PARAFAC Components in
43 Fluorescent Dissolved Organic Matter in Natural and Engineered Systems:
44 A Critical Review. *Environ Sci Technol*, **46**(4), 2006-2017.
45
46
47
48
49
50 Jayme, M.L., Dunstan, D.E., Gee, M.L. 1999. Zeta potentials of gum arabic
51 stabilised oil in water emulsions. *Food Hydrocolloids*, **13**(6), 459-465.
52
53
54
55 Kim, J.S., Kuk, E., Yu, K.N., Kim, J.-H., Park, S.J., Lee, H.J., Kim, S.H., Park, Y.K., Park,
56 Y.H., Hwang, C.-Y., Kim, Y.-K., Lee, Y.-S., Jeong, D.H., Cho, M.-H. 2007.
57
58
59
60
61
62
63
64
65

- Antimicrobial effects of silver nanoparticles. *Nanomedicine: Nanotechnology, Biology and Medicine*, **3**(1), 95-101.
- Lapresta-Fernandez, A., Fernandez, A., Blasco, J. 2012. Nanoecotoxicity effects of engineered silver and gold nanoparticles in aquatic organisms. *Trac-Trend Anal Chem*, **32**, 40-59.
- Levard, C., Hotze, E.M., Lowry, G.V., Brown, G.E. 2012. Environmental Transformations of Silver Nanoparticles: Impact on Stability and Toxicity. *Environ Sci Technol*, **46**, 6900-6914.
- Li, K., Zhang, W., Huang, Y., Chen, Y. 2011. Aggregation kinetics of CeO₂ nanoparticles in KCl and CaCl₂ solutions: measurements and modeling. *J Nanopart Res*, **13**(12), 6483-6491.
- Lin, S., Cheng, Y., Liu, J., Wiesner, M.R. 2012. Polymeric coatings on silver nanoparticles hinder autoaggregation but enhance attachment to uncoated surfaces. *Langmuir*, **28**(9), 4178-86.
- Ma, R., Levard, C., Marinakos, S.M., Cheng, Y., Liu, J., Michel, F.M., Brown, G.E., Lowry, G.V. 2012. Size-Controlled Dissolution of Organic-Coated Silver Nanoparticles. *Environ Sci Technol*, **46**(2), 752-759.
- Moskovits, M., Vlčková, B. 2005. Adsorbate-Induced Silver Nanoparticle Aggregation Kinetics. *The Journal of Physical Chemistry B*, **109**(31), 14755-14758.
- Percival, E., McDowell, R.H. 1967. *Chemistry and enzymology of marine algal polysaccharides*. Academic Press, London New York.
- Quik, J.T.K., Velzeboer, I., Wouterse, M., Koelmans, A.A., van de Meent, D. 2014. Heteroaggregation and sedimentation rates for nanomaterials in natural waters. *Water Res*, **48**(0), 269-279.

- 1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
- Rey-Castro, C., Herrero, R., Sastre de Vicente, M.E. 2004. Gibbs-Donnan and specific ion interaction theory descriptions of the effect of ionic strength on proton dissociation of alginic acid. *J Electroanal Chem*, **564**, 223-230.
- Rizzello, L., Pompa, P.P. 2014. Nanosilver-based antibacterial drugs and devices: Mechanisms, methodological drawbacks, and guidelines. *Chemical Society Reviews*, **43**(5), 1501-1518.
- Sandip, S., Anjali, P., Subrata, K., Suomen, B., Tarasankar, P. 2010. Photochemical green synthesis of calcium-alginate-stabilized Ag and Au nanoparticles and their catalytic application to 4-nitrophenol reduction. *Langmuir*, **26**(4), 2885-2893.
- Sharma, V.K., Siskova, K.M., Zboril, R., Gardea-Torresdey, J.L. 2014. Organic-coated silver nanoparticles in biological and environmental conditions: Fate, stability and toxicity. *Adv Colloid Interfac*, **204**, 15-34.
- Sulzberger, B., Durisch-Kaiser, E. 2009. Chemical characterization of dissolved organic matter (DOM): A prerequisite for understanding UV-induced changes of DOM absorption properties and bioavailability. *Aquatic Sciences*, **71**(2), 104-126.
- Thio, B.J.R., Montes, M.O., Mahmoud, M.A., Lee, D.-W., Zhou, D., Keller, A.A. 2011. Mobility of Capped Silver Nanoparticles under Environmentally Relevant Conditions. *Environ Sci Technol*, **46**(13), 6985-6991.
- Verwey, E., Overbeek, J., van Nes, K. 1948. *The theory of the stability of liophobic colloids: The interaction of sol particles having an electric double layer*. Elsevier, Amsterdam.

Supplementary material for on-line publication only

[Click here to download Supplementary material for on-line publication only: Supplementary Information.docx](#)

Video_S1

[Click here to download Video: Video S1.avi](#)

Video_S2

[Click here to download Video: Video S2.avi](#)

Video_S3

[Click here to download Video: Video S3.avi](#)

Video_S4

[Click here to download Video: Video S4.avi](#)

Video_S5

[Click here to download Video: Video S5.avi](#)

Video_S6

[Click here to download Video: Video S6.avi](#)

Video_S7

[Click here to download Video: Video S7.avi](#)

Video_S8

[Click here to download Video: Video S8.avi](#)